

# Keyword Index (Vol. 20/1998)

- absorption, 226–234  
 activities of daily living, 55–61  
 acupuncture, 41–48  
 acupuncture points, 41–48  
 adolescent, 209–216  
 airway clearance techniques, 235–246  
 ambulation, 74–77  
 ambulatory epidural, 151–157  
 amputation, 380–384  
 amputee, 428–430  
 anxiety, 448–456  
 aphasia, 411–423  
 assistive devices, 108–110  
 assistive technology, 1–24, 168–178  
 ataxia, 428–430  
 autonomy, 36–37
- back pain, 151–157, 373–379  
 Bangladesh, 337–345  
 Barthel Index, 195–199  
 botulinum toxin, 62–65  
 brain anoxia, 308–314  
 brain injury, 308–314, 435–447
- carers, 411–423  
 carrier screening, 202–208  
 cascade carrier screening, 202–208  
 cerebrovascular disorders, 55–61  
 chest physiotherapy, 235–246  
 child disability, 25–28  
 chronic pain, 317–329  
 clinical decision making, 29–32  
 clinically worthwhile difference, 405–410  
 communication, 411–423  
 communication disability, 277–284  
 community, 457–463  
 community-based care, 254–261  
 community-based rehabilitation, 66–73, 189–194  
 cosmetic prostheses, 428–430  
 cost-effectiveness, 391–394  
 cost-outcome analysis, 1–24  
 counselling, 346–354  
 cystic fibrosis, 202–208, 209–216, 217–225, 226–234, 235–246, 247–253, 262–271, 272–274  
 cystic fibrosis nurse specialist, 254–261
- depression, 448–456  
 developing countries, 189–194, 277–284  
 diabetes mellitus, 330–336  
 diabetic foot, 330–336  
 disability, 337–345  
 disabled athletes, 116–119  
 driving phobia, 397–404
- education, 385–390  
 elderly, 161–167
- electroneedling, 41–48  
 epidural analgesia, 151–157  
 ethical issues, 33–35  
 ethics, 36–37  
 exercise limitation, 247–253  
 exercise training, 247–253
- falls, 161–167  
 fatty acids, 226–234  
 functional disability, 62–65
- Ghana, 66–73
- haemodynamic functions, 41–48  
 health-care utilization, 337–345  
 hearing-impaired children, 189–194  
 home-based rehabilitation, 298–307, 367–372  
 hypothesis test, 121–126
- impairment assessment, 29–32  
 India, 168–178  
 informed choice, 36–37
- job satisfaction, 373–379
- learning disabilities, 424–427  
 learning disability service, 81–89  
 locus of control, 448–456  
 long stay care, 179–188  
 long term rehabilitation, 464–466  
 lung function, 235–246
- medical assessment, 116–119  
 mobility needs, 168–178  
 motivation, 74–77  
 motor deficit, 142–150  
 motor vehicle accidents, 397–404  
 multidisciplinary rehabilitation, 285–297  
 multiple sclerosis, 308–314, 448–456  
 muscle spasticity, 62–65  
 musculoskeletal disorders, 285–297
- neck sprains, 397–404  
 New Zealand, 385–390  
 newborn screening, 202–208  
 nutrition, 217–225, 308–314
- occupational role, 373–379
- pain, 330–336, 357–366  
 Pakistan, 195–199  
 paraplegia, 127–137  
 Parkinson's disease, 142–150  
 patient perspective, 272–274  
 percutaneous endoscopic gastrostomy, 308–314
- personal construct therapy, 346–354  
 physical activity, 424–427  
 physical disability, 179–188, 298–307  
 podiatry, 330–336  
 post-traumatic stress disorder, 397–404  
 power, 121–126  
 pulmonary disease, 217–225
- quality of life, 1–24, 90–96, 262–271, 285–297
- rehabilitation, 308–314, 385–390  
 rehabilitation medicine, 29–32  
 relevance of advances in treatment, 202–208  
 residential alternatives, 108–110  
 rural, 337–345
- sample size, 405–410  
 screening test, 161–167  
 self-efficacy, 138–141  
 sensory deprivation, 357–366  
 sensory restriction, 357–366  
 severe aphasia, 346–354  
 sexual adjustment, 317–329  
 sexuality, 317–329  
 sick-leave, 49–54  
 Snoezelen, 357–366  
 social representation, 127–137  
 speech and language therapy, 277–284  
 spinal cord injury, 138–141, 448–456  
 sputum, 235–246  
 stable isotopes, 226–234  
 statistical power, 405–410  
 stigma, 66–73  
 stroke, 90–96, 195–199, 391–394, 457–463  
 stroke outcome, 55–61  
 stroke rehabilitation, 367–372  
 survival, 217–225
- technology assessment, 1–24, 29–32  
 technology evaluation, 108–110  
 transcutaneous electrical stimulation, 41–48  
 transition, 209–216  
 treatment adherence, 262–271  
 type I error, 121–126  
 type II error, 121–126
- unemployment, 49–54  
 University, 385–390
- vascular disease, 380–384  
 virtual reality, 108–110  
 vocational rehabilitation, 49–54
- whiplash, 397–404  
 women with disabilities, 168–178  
 work satisfaction, 127–137  
 workplace violence, 81–89

# Keyword Index (Vol. 20/1998)

- absorption, 226–234  
 activities of daily living, 55–61  
 acupuncture, 41–48  
 acupuncture points, 41–48  
 adolescent, 209–216  
 airway clearance techniques, 235–246  
 ambulation, 74–77  
 ambulatory epidural, 151–157  
 amputation, 380–384  
 amputee, 428–430  
 anxiety, 448–456  
 aphasia, 411–423  
 assistive devices, 108–110  
 assistive technology, 1–24, 168–178  
 ataxia, 428–430  
 autonomy, 36–37
- back pain, 151–157, 373–379  
 Bangladesh, 337–345  
 Barthel Index, 195–199  
 botulinum toxin, 62–65  
 brain anoxia, 308–314  
 brain injury, 308–314, 435–447
- carers, 411–423  
 carrier screening, 202–208  
 cascade carrier screening, 202–208  
 cerebrovascular disorders, 55–61  
 chest physiotherapy, 235–246  
 child disability, 25–28  
 chronic pain, 317–329  
 clinical decision making, 29–32  
 clinically worthwhile difference, 405–410  
 communication, 411–423  
 communication disability, 277–284  
 community, 457–463  
 community-based care, 254–261  
 community-based rehabilitation, 66–73, 189–194  
 cosmetic prostheses, 428–430  
 cost-effectiveness, 391–394  
 cost-outcome analysis, 1–24  
 counselling, 346–354  
 cystic fibrosis, 202–208, 209–216, 217–225, 226–234, 235–246, 247–253, 262–271, 272–274  
 cystic fibrosis nurse specialist, 254–261
- depression, 448–456  
 developing countries, 189–194, 277–284  
 diabetes mellitus, 330–336  
 diabetic foot, 330–336  
 disability, 337–345  
 disabled athletes, 116–119  
 driving phobia, 397–404
- education, 385–390  
 elderly, 161–167
- electroneedling, 41–48  
 epidural analgesia, 151–157  
 ethical issues, 33–35  
 ethics, 36–37  
 exercise limitation, 247–253  
 exercise training, 247–253
- falls, 161–167  
 fatty acids, 226–234  
 functional disability, 62–65
- Ghana, 66–73
- haemodynamic functions, 41–48  
 health-care utilization, 337–345  
 hearing-impaired children, 189–194  
 home-based rehabilitation, 298–307, 367–372  
 hypothesis test, 121–126
- impairment assessment, 29–32  
 India, 168–178  
 informed choice, 36–37
- job satisfaction, 373–379
- learning disabilities, 424–427  
 learning disability service, 81–89  
 locus of control, 448–456  
 long stay care, 179–188  
 long term rehabilitation, 464–466  
 lung function, 235–246
- medical assessment, 116–119  
 mobility needs, 168–178  
 motivation, 74–77  
 motor deficit, 142–150  
 motor vehicle accidents, 397–404  
 multidisciplinary rehabilitation, 285–297  
 multiple sclerosis, 308–314, 448–456  
 muscle spasticity, 62–65  
 musculoskeletal disorders, 285–297
- neck sprains, 397–404  
 New Zealand, 385–390  
 newborn screening, 202–208  
 nutrition, 217–225, 308–314
- occupational role, 373–379
- pain, 330–336, 357–366  
 Pakistan, 195–199  
 paraplegia, 127–137  
 Parkinson's disease, 142–150  
 patient perspective, 272–274  
 percutaneous endoscopic gastrostomy, 308–314
- personal construct therapy, 346–354  
 physical activity, 424–427  
 physical disability, 179–188, 298–307  
 podiatry, 330–336  
 post-traumatic stress disorder, 397–404  
 power, 121–126  
 pulmonary disease, 217–225
- quality of life, 1–24, 90–96, 262–271, 285–297
- rehabilitation, 308–314, 385–390  
 rehabilitation medicine, 29–32  
 relevance of advances in treatment, 202–208  
 residential alternatives, 108–110  
 rural, 337–345
- sample size, 405–410  
 screening test, 161–167  
 self-efficacy, 138–141  
 sensory deprivation, 357–366  
 sensory restriction, 357–366  
 severe aphasia, 346–354  
 sexual adjustment, 317–329  
 sexuality, 317–329  
 sick-leave, 49–54  
 Snoezelen, 357–366  
 social representation, 127–137  
 speech and language therapy, 277–284  
 spinal cord injury, 138–141, 448–456  
 sputum, 235–246  
 stable isotopes, 226–234  
 statistical power, 405–410  
 stigma, 66–73  
 stroke, 90–96, 195–199, 391–394, 457–463  
 stroke outcome, 55–61  
 stroke rehabilitation, 367–372  
 survival, 217–225
- technology assessment, 1–24, 29–32  
 technology evaluation, 108–110  
 transcutaneous electrical stimulation, 41–48  
 transition, 209–216  
 treatment adherence, 262–271  
 type I error, 121–126  
 type II error, 121–126
- unemployment, 49–54  
 University, 385–390
- vascular disease, 380–384  
 virtual reality, 108–110  
 vocational rehabilitation, 49–54
- whiplash, 397–404  
 women with disabilities, 168–178  
 work satisfaction, 127–137  
 workplace violence, 81–89

## Index of Authors (Vol. 20/1998)

- ABBOTT, J., and GEE, L.: Contemporary psychosocial issues in cystic fibrosis: treatment adherence and quality of life, 262
- ABBOTT, J., DODD, M., and WEBB, K.: Cystic fibrosis: practical progress and current controversy, 201
- ABBOTT, J., *see* SUPER, M.
- AKHDAR, F., *see* ANSARI, S. A.
- ALI, S. M., and MULLEY, G. P.: Is the Barthel Scale appropriate in non-industrialized countries? A view of rural Pakistan, 195
- ANDRICH, R., FERRARIO, M., and MOT, M.: A model of cost-outcome analysis for assistive technology, 1
- ANGIONI, C., *see* TRABALLESI, M.
- ANNONI, J.-M., VUAGNAT, H., FRISCHKNECHT, R., and UEBELHART, D.: Percutaneous endoscopic gastrostomy in neurological rehabilitation: a report of six cases, 308
- ANSARI, S. A., and AKHDAR, F.: Prevalence of child disability in Saudi Arabia, 25
- ARAZI MARGALIT, D., *see* HEIM, M.
- AZARIA, M.: Replies, 38
- AZARIA, M., *see* HEIM, M.
- BACON, R. A., *see* DOLIN, S. J.
- BAKHEIT, A. M. O., *see* WATANABE, Y.
- BAKKER, K., *see* RIJKEN, P. M.
- BALOGUN, J. A., BIASCI, S., and HAN, L.: The effects of acupuncture, electroacupuncture and transcutaneous electrical stimulation therapies on peripheral haemodynamic changes, 41
- BERGROTH, A., *see* SELANDER, J.
- BERMAN, P., *see* LINCOLN, N. B.
- BIASCI, S., *see* BALOGUN, J. A.
- BIDERMAN, A., *see* CWIKEL, J. G.
- BORGQUIST, L., *see* GRAHN, B.
- BRUNELLI, S., *see* TRABALLESI, M.
- BURROWS, E., *see* COTTRELL, J.
- CHALLEN, K., *see* LINCOLN, N. B.
- CHATTERJEE, N., *see* HOSAIN, G. M. M.
- CLARK, M. S., and SMITH, D. S.: Knowledge of stroke in rehabilitation and community samples, 90
- CONNIS, R. T., *see* EVANS, R. L.
- CONWAY, S. P.: Transition from paediatric to adult-oriented care for adolescents with cystic fibrosis, 209
- COOKE, C. B., *see* MESSENT, P. R.
- COTTRELL, J., and BURROWS, E.: Community-based care in cystic fibrosis: role of the cystic fibrosis nurse specialist and implications for patients and families, 254
- CUNNINGHAM, R.: Counselling someone with severe aphasia: an explorative case study, 346
- CWIKEL, J. G., FRIED, A. V., BIDERMAN, A., and GALINSKY, D.: Validation of a fall-risk screening test, the Elderly Fall Screening Test (EFST), for community-dwelling elderly, 161
- DAVIS, B., *see* SCHOFIELD, P.
- DEKKER, E., *see* RIJKEN, P. M.
- DEKKER, J., *see* RIJKEN, P. M.
- DENMAN, A.: Determining the needs of spouses caring for aphasic partners, 411
- DE WEERDT, W., *see* NIEUWBOER, A.
- DODD, M., *see* ABBOTT, J.
- DODD, M. E., *see* MOORCROFT, A. J.
- DOLIN, S. J., BACON, R. A., and DRAGE, M.: Rehabilitation of chronic low back pain using continuous epidural analgesia, 151
- DOM, R., *see* NIEUWBOER, A.
- DOOREN, J., *see* RIJKEN, P. M.
- DRAGE, M., *see* DOLIN, S. J.
- EKDAHL, C., *see* GRAHN, B.
- EKHOLM, J., *see* SELANDER, J.
- ELBORN, S.: The management of young adults with cystic fibrosis: 'genes, jeans and genies', 217
- ESDAILE, J. M., *see* KOPEC, J. A.
- EVANS, R. L., CONNIS, R. T., and HASELKORN, J. K.: Hospital-based rehabilitative care versus outpatient services: effects on functioning and health status, 298
- FERRARIO, M., *see* ANDRICH, R.
- FOREMAN, N., *see* WILSON, P. N.
- FRIED, A. V., *see* CWIKEL, J. G.
- FRISCHKNECHT, R., *see* ANNONI, J.-M.
- GALINSKY, D., *see* CWIKEL, J. G.
- GEE, L., *see* ABBOTT, J.
- GEFFEN, S., and WILSON, S.: New hands reduce handicap, 428
- GILCHRIST, G., *see* SCOTT, S. N.
- GLADMAN, J. R. F., and SACKLEY, C. M.: The scope for rehabilitation in severely disabled stroke patients, 391
- GLADMAN, J. R. F., *see* LINCOLN, N. B.
- GRABOIS, M., *see* MONGA, T. N.
- GRAHN, B., EKDAHL, C., and BORGQUIST, L.: Effects of a multidisciplinary rehabilitation programme on health-related quality of life in patients with prolonged musculoskeletal disorders: a 6-month follow-up of a prospective controlled study, 285
- GREGORY, R. J.: Ten years on and more: establishing programmes of rehabilitation education: the New Zealand case, 385
- GUNN, A., and WALKER, R.: Response: Ethical issues, 36
- GUNN, A. S., and WALKER, R.: Response: Ethical issues, 467
- GUSTAFSON, Y., *see* LÖFGREN, B.
- HAN, L., *see* BALOGUN, J. A.
- HARLAAR, J., and LANKHORST, G. J.: Impairment assessment in rehabilitation medicine: the potential role of technology to assist clinical decision making, 29
- HARTLEY, S.: Service development to meet the needs of 'people with communication disabilities' in developing countries, 277
- HASELKORN, J. K., *see* EVANS, R. L.
- HEIM, M.: Replies, 38
- HEIM, M., OPPENHEIM, U., ARAZI MARGALIT, D., and AZARIA, M.: Why should a deformed, anaesthetic, functionless hand be wanted?, 33
- HEIM, M., WERSHAVSKI, M., ARAZI MARGALIT, D., and AZARIA, M.: The will to walk—a partnership involving dual dynamics, 74
- HEIM, M., ZELIG, G., NADVORNI, H., and AZARIA, M.: The changing needs of patients after primary rehabilitation: an overlooked entity, 464
- HOLMQVIST, L. W., *see* VON KOCH, L.
- HOKE, A., *see* SCOTT, S. N.
- HORN, W., YOELS, W., WALLACE, D., MACRINA, D., and WRIGLEY, M.: Determinants of self-efficacy among persons with spinal cord injuries, 138
- HOSAIN, G. M. M., and CHATTERJEE, N.: Health-care utilization by disabled persons: a survey in rural Bangladesh, 337
- HUTZLER, Y., *see* JACOB, T.
- JACOB, T., and HUTZLER, Y.: Sports-medical assessment for athletes with a disability, 116
- JASPERS, J. P. C.: Whiplash and post-traumatic stress disorder, 397
- JONES, L. E.: Does virtual reality have a place in the rehabilitation world?, 102
- KASSAH, A. K.: Community-Based Rehabilitation and stigma management by physically disabled people in Ghana, 66
- KIELY, J., and PANKHURST, H.: Violence faced by staff in a learning disability service, 81

## *Index of authors*

- KOPEC, J. A., and ESDALE, J. M.: Occupational role performance in persons with back pain, 373
- KORPELA, R.: Virtual reality: opening the way, 106
- LAENGER, C. J., *see* MYERS, R. L.
- LANKHORST, G. J., *see* HARLAAR, J.
- LANKHORST, G. J., *see* RIJKEN, P. M.
- LASCHINGER, S. J., *see* MULHOLLAND, S. J.
- LATASH, M. L.: Virtual reality: a fascinating tool for motor rehabilitation (to be used with caution), 104
- LESAFFRE, E., *see* NIEUWBOER, A.
- LICHTIG, I., *see* WIRZ, S. L.
- LINCOLN, N. B., GLADMAN, J. R. F., BERMAN, P., LUTHER, A., and CHALLEN, K.: Rehabilitation needs of community stroke patients, 457
- LÖFGREN, B., NYBERG, L., ÖSTERLIND, P. O., and GUSTAFSON, Y.: In-patient rehabilitation after stroke: outcome and factors associated with improvement, 55
- LONG, J., *see* MESSENT, P. R.
- LUTHER, A., *see* LINCOLN, N. B.
- MACLEOD, G., *see* MACLEOD, L.
- MACLEOD, L., and MACLEOD, G.: Control cognitions and psychological disturbance in people with contrasting physically disabling conditions, 448
- MACRINA, D., *see* HORN, W.
- MAIN, E., *see* PRASAD, S. A.
- MARNETOFT, S.-U., *see* SELANDER, J.
- MAZAUX, J. M., and RICHER, E.: Rehabilitation after traumatic brain injury in adults, 435
- MCLELLAN, D. L., *see* WATANABE, Y.
- MESSENT, P. R., COOKE, C. B., and LONG, J.: Daily physical activity in adults with mild and moderate learning disabilities: is there enough?, 424
- MOI, M., *see* ANDRICH, R.
- MONGA, T. N., TAN, G., OSTERMANN, H. J., MONGA, U., and GRABOIS, M.: Sexuality and sexual adjustment of patients with chronic pain, 317
- MONGA, U., *see* MONGA, T. N.
- MOORCROFT, A. J., DODD, M. E., and WEBB, A. K.: Exercise limitations and training for patients with cystic fibrosis, 247
- MULHOLLAND, S. J., PACKER, T. L., LASCHINGER, S. J., OLNEY, S. J., and PANCHAL, V.: The mobility needs of women with physical disabilities in India: a functional perspective, 168
- MÜLLER, D.: Editorial introduction: Virtual reality, disability and rehabilitation, 97
- MULLEY, G. P., *see* ALI, S. M.
- MURPHY, J. L., and WOOTTON, S. A.: Nutritional management in cystic fibrosis — an alternative perspective in gastrointestinal function, 226
- MYERS, R. L., and LAENGER, C. J.: Virtual reality in rehabilitation, 111
- NADVORNI, H., *see* HEIM, M.
- NIEUWBOER, A., DE WEERT, W., DOM, R., and LESAFFRE, E.: A frequency and correlation analysis of motor deficits in Parkinson patients, 142
- NYBERG, L., *see* LÖFGREN, B.
- OLNEY, S. J., *see* MULHOLLAND, S. J.
- OPPENHEIM, U., *see* HEIM, M.
- ÖSTERLIND, P. O., *see* LÖFGREN, B.
- OSTERMANN, H. J., *see* MONGA, T. N.
- PACKER, T. L., *see* MULHOLLAND, S. J.
- PANCHAL, V., *see* MULHOLLAND, S. J.
- PANKHURST, H., *see* KIELY, J.
- PAOLUCCI, S., *see* TRABALLESI, M.
- PRASAD, S. A., and MAIN, E.: Finding evidence to support airway clearance techniques in cystic fibrosis, 235
- PRATESI, L., *see* TRABALLESI, M.
- PULCINI, M., *see* TRABALLESI, M.
- RAUWERDA, J. A., *see* RIJKEN, P. M.
- RAVAUD, J.-F., *see* VILLE, I.
- RICHER, E., *see* MAZAUX, J. M.
- RIGBY, A. S.: Statistical methods in epidemiology: I. Statistical errors in hypothesis testing, 121
- RIGBY, A. S., and VAIL, A.: Statistical methods in epidemiology. II: a commonsense approach to sample size estimation, 405
- RIJKEN, P. M., DEKKER, J., DEKKER, E., LANKHORST, G. J., BAKKER, K., DOOREN, J., and RAUWERDA, J. A.: Clinical and functional correlates of foot pain in diabetic patients, 330
- RING, H.: Obituary: Professor Juan Parreño, 79
- RING, H.: Is neurological rehabilitation ready for 'immersion' in the world of virtual reality?, 98
- ROY, C. W., *see* SCOTT, S. N.
- RYAN, G.: It's not football, 272
- SACKLEY, C. M., *see* GLADMAN, J. R. F.
- SCHERER, M. J.: Virtual reality: consumer perspectives, 108
- SCHOFIELD, P., and DAVIS, B.: Sensory deprivation and chronic pain: a review of the literature, 357
- SCOTT, S. N., GILCHRIST, G., HOODE, A., and ROY, C. W.: Eligibility criteria for NHS long stay care: the relationship between clinical need, dependency, and staff perception, 179
- SELANDER, J., MARNETOFT, S.-U., BERGROTH, A., and EKHOLM, J.: Vocational rehabilitation and future sick-leave, 49
- SMITH, D. S., *see* CLARK, M. S.
- STANTON, D., *see* WILSON, P. N.
- SUPER, M., and ABBOTT, J.: Genetic advances in cystic fibrosis: to screen, to treat or both?, 202
- TAN, G., *see* MONGA, T. N.
- TRABALLESI, M., BRUNELLI, S., PRATESI, L., PULCINI, M., ANGIONI, C., and PAOLUCCI, S.: Prognostic factors in rehabilitation of above knee amputees for vascular diseases, 380
- UEBELHART, D., *see* ANNONI, J.-M.
- VAIL, A., *see* RIGBY, A. S.
- VILLE, I., and RAVAUD, J.-F.: Work values: a comparison of non-disabled persons with persons with paraplegia, 127
- VON KOCH, L., WOTTRICH, A. W., and HOLMQVIST, L. W.: Rehabilitation in the home versus the hospital: the importance of context, 367
- VUAGNAT, H., *see* ANNONI, J.-M.
- WALKER, R., *see* GUNN, A. S.
- WALLACE, D., *see* HORN, W.
- WATANABE, Y., BAKHEIT, A. M. O., and MCLELLAN, D. L.: A study of the effectiveness of botulinum toxin type A (Dysport) in the management of muscle spasticity, 62
- WEBB, A. K., *see* MOORCROFT, A. J.
- WEBB, K., *see* ABBOTT, J.
- WERSHAVSKI, M., *see* HEIM, M.
- WILSON, P. N., FOREMAN, N., and STANTON, D.: A rejoinder, 113
- WILSON, S., *see* GEFFEN, S.
- WIRZ, S. L., and LICHTIG, I.: The use of non-specialist personnel in providing a service for children disabled by hearing impairment, 189
- WOOTTON, S. A., *see* MURPHY, J. L.
- WOTTRICH, A. W., *see* VON KOCH, L.
- WRIGLEY, M., *see* HORN, W.
- YOELS, W., *see* HORN, W.
- ZELIG, G., *see* HEIM, M.

